**ASUPGRE** 

# SUDICI Armchair Swivel Adjustable


The Supra chair, an elegant shell with character, in combination with different structures, is a perfect product for diverse spaces and uses.

Inspired on the structural beams constructive principles Supra achieves the feeling of both independent seat and back parts in a unique solid piece.

DESIGNED BY NOTE DESIGN STUDIO



### ondarreta



# ondarreta

#### **DIMENSIONS**

 $65 \,\mathrm{cm} \times 63 \,\mathrm{cm} \times 75 \,\mathrm{^{\circ}}89 \,\mathrm{cm} \times 38 \,\mathrm{^{\circ}}52$  cm x  $59 \,\mathrm{^{\circ}}73 \,\mathrm{cm}$ 

[width x depth x minimummaximum height x minimummaximum seat height x minimum-maximum armrest height]

#### Version with castors:

65cm x 63 cm x 81,5-95,5 cm x 44,5-58,5 cm x 65,5-79,5 cm

[width x depth x minimummaximum height x minimummaximum seat height x minimum-maximum armrest height]

#### WEIGHT

9 kg

#### **PACKAGING**

One piece per box. Package Measurement: 70 cm x 67 cm x 100 cm

Dissasembled: (80 cm x 60 cm x 70 cm)

#### **CERTIFICATION**

Product tested under the European standard EN 16139:2013, in severe use category, L2.

#### **ACCESORIES**

Castors

Felt Glides

#### ORIGIN

100% Made in Europe

#### **DESIGN**

Note Design Studio







#### **COMPONENTS**

#### FRAME

#### Material

Sandblasted aluminum injection base, mounting plate, and lever

Steel column with a diameter of 50 mm with adjustable height gas in steel.

#### **Finish**

Epoxy in selected colors.

#### SHELL AND ARMRESTS

#### Special Textured Raw Polypropylene

Special raw copolimer translucent textured polypropylene with matt finish. Very good mechanical properties, translucency and lightness.

#### **Technical Features:**

Density (per ISO 1183): 900 kg/m3; Yield stress (per ISO 527-1/-2): 23 N/mm2; Flexural modulus (per ISO 178): 1100 N/ mm2 (23°C)

#### Finish

Matt textured polypropylene, fully upholstered, or seat upholstered

#### **UPHOLSTERY**

#### Fully Upholstered

Exclusive and unique upholstery system that allows the fabric a perfect adherence to the shell (both seat and back), maintaining the own chair's shape. Medium density polyether stuffing foam.

#### Seat upholstered

Exclusive and unique upholstery system that allows the fabric a perfect adherence to the seat, maintaining the own chair's shape. Medium density polyether stuffing foam.





#### **METAL FINISHES**

#### **EPOXIES**

Powder coating formulated with polyester resins, exhibiting good mechanical and chemical properties, maximum outdoor resistance, and free of harmful compounds (TGIC). Electrostatic application and oven curing at  $200^{\circ}\mathrm{C}$ .

#### **Technical Features:**

Film thickness (per ISO 2360): between 60 and 90  $\mu$ m; Grid adherence (per ISO 2409): Grade 0 (maximum adherence).

#### <u>UPHOLSTERY REQUIREMENTS</u>

Upholstered Seat: 55 cm Fully Upholstered (seat + backrest): 120 cm

## ondarreta