TECHNICAL CHARACTERISTICS

SALOXLO

Alo


Lounge Outdoor


The enlarged version of the steel structure surrounding a shell of steel slats, which seem as if they are floating, make this seating ideal for terraces or gardens.


DESIGNED BY GABRIEL TEIXIDÓ



ondarreta







DIMENSIONS

64 cm x 52 cm x 72 cm x 40 cm
(25.2" x 20.5" x 28.3" x 15.7"
[width x depth x height x seat height]

WEIGHT

8,10 kg (17.9 lb)

PACKAGING

Two chairs per box.
Box dimensiones:

71 cm x 66 cm x 99 cm
(28" x 26" x 39")

CERTIFICATION

Product tested under the European standard EN 161399:2013, category of general use L1.

ACCESORIES

Cushion

Trolley

OPTION

Outdoor

STACKABILITY

4 units

ORIGIN

100% Made in Europe

DESIGN

Gabriel Teixidó

ondarreta







COMPONENTS

FRAME

Material
12 mm (0.5") diameter cold laminated E-220 quality (EN-10305 Normative) steel rod.
Tensile Strength > 310 N/mm² (44,960 psi);
Elastic Limit > 220 N/mm² (31,900 psi); Elongation > 23%

Finish

Epoxy Colour

SEAT

Material
3 mm (0.12") thickness cold laminated St-37 quality steel tube.
Tensile Strength: 340-470 N/mm² (49,300-68,160 psi)
Elastic Limit > 235 N/mm² (32,080 psi); Elongation > 25%
Surface Hardness > 110 HB

Finish

Epoxy Colour

METAL FINISHES

EPOXYS

Powder covering formulated with polyester resins, with good both mechanical and chemical properties, outdoor maximum resistance and noxious compounds free. Electrostatic application and oven curated at 200ºC (392ºF).

Technical Characteristics:
Thickness (ISO 2360): between 60 and 90 µm.
Adherence (ISO 2409): Grade: 0 (maximum adherence)

ACCESORIES CUSHION

Technical Characteristics:
Foam: 40 kg/m3 (UNI EN ISO 845/ DIN53420).
Inner cover fabric composition: 50% Cotton; 50% Polyester.
Cushion fabric composition: 100% Acrylic; Weight: 335 gr/m2
Oil resistance: min.5; Colour fastness to artificial weathering: 7-8 blue scale (8); Colour fastness to light: 7-8 blue scale (8).

COM REQUIREMENT

Full fabric: 45 cm (17,7")

ondarreta