TECHNICAL CHARACTERISTICS

SBAIRBTK

Bai


Wood chair


Generous proportions and wraparound lines, a versatile piece that has a noble and welcoming appearance. The Bai wood chair, a warm and sympathetic chair, that reflects our experience in woodworking.


DESIGNED BY ANDER LIZASO



ondarreta







DIMENSIONS

60 cm x 53 cm x 78 cm x 45 cm
(23.6” x 20.9” x 30.7” x 17.7”)
[width x depth x height x seat height]

WEIGHT

6,7 kg (14,77 lb)

PACKAGING

One chair per box, box dimensions:
62,5 cm x 58 cm x 99,5 cm
(24.6” x 22.8” x 39.2”)

CERTIFICATION

Product tested under the European standard EN 16139:2013, category of extreme use L2.

Designed in accordance with the Ecodesign standard UNE-EN ISO 14006: 2011 certified by AENOR.

ACCESORIES

Cushion

Felt glides

ORIGIN

100% Made in Europe

DESIGN

Ander Lizaso

ondarreta









COMPONENTS

FRAME

Material
Solid Beech or Oak wood bowed with a singular method and CNC machined.

Technical characteristics:
Medium density: 720 kg/m³ (44.9 lb/ft³); Flex Strength: 1120 kg/cm²
(15,900 psi); Tensile Strength: 1210 kg/cm² (17,200 psi)

Finish

Stained

SHELL

Textured polypropylene
Textured matt copolymer. Very good mechanical properties, light and UV ray resistant.

Check for fireproofing

Technical characteristics:
Density (s / ISO 1183): 900 kg / m3
Yield stress (s / ISO 527-1 / -2): 23 N / mm2
Flexural modulus (s / ISO 178): 1100 N / mm2 (23 ° C))

Finish
Textured matt, fabric, combi or seat pad.

WOOD FINISHES

Pigmented enamel with a transparent stain coating. Reactive drying paints: excellent adherence between layers and better mechanical resistance.

Technical characteristics:
Satisfying UNE-EN 71-3 normative; Formaldehyde free compounds.

COM REQUIEREMENTS:

Full fabric: 125 cm (49.2”)
Combi: 80 cm (31.5”)
Fabric seat: 53 cm (20.9”)
Cushion: 50 cm (19.7)

ondarreta