TECHNICAL CHARACTERISTICS

SOLA

Ola

A1 / A2 / B1/ B2


Inspired by the “Olas” (waves) that rise from the Cantabrian Sea in the winters of San Sebastian. A design that allows the division of spaces in a simple and flexible way, with the option to use each piece individually or to join several at the base in a modular way. The best thing about Ola is that it has its own collection of accessories to personalise it according to the needs of the space.


DESIGNED BY SILVIA CEÑAL




ondarreta


SPACE DIVIDER WITHOUT WHEELS





SPACE DIVIDER WITH WHEELS





ondarreta

WEIGHT

SPACE DIVIDER WITHOUT WHEELS

A1 (645x1210)//(25.4'' x 47.6'') 10 kg (22 lb.)
A2 (1275x1210)//(50.2'' x 47.6'') 13 kg (28.7 lb.)
B1 (645x1610)//(25.4'' x 63.4'') 12,4 kg (27.3 lb.)
B2 (1275x1610)//(50.2'' x 63.4'') 16,6 kg (36.6 lb.)

SPACE DIVIDER WITH WHEELS

A1 (645x1210)//(25.4'' x 47.6'') 11,8 kg (26 lb.)
A2 (1275x1210)// (50.2'' x 47.6'') 14,8 kg (32.6 lb.)
B1 (645x1610)//(25.4'' x 63.4'') 14,2 kg (31.3 lb.)
B2 (1275x1610)//(50.2'' x 63.4'') 18.4 kg (40.6 lb.)

(These weights are indicative and depend on the finishes chosen)

ACCESORIES

Magnet Board
Shelf
Planter
Rack
Castors

ORIGIN

100% Made in Europe

DISIGN

Silvia Ceñal

CERTIFICATION

Acoustics

UNE-EN ISO354:2004

Stability

UNE EN 1023-2:2001/ Erratum 2006

UNE-EN 1023-3:2001/Erratum 2006





COMPONENTS

FRAME

Material
25 mm (0.98”) side and 2 mm (0.08”) thickness cold laminated E-220 quality (EN-10305 Normative) steel tube.
Tensile Strength > 310 N/mm2 (44,960 psi);
Elastic Limit > 220 N/mm2 (31,900 psi); Elongation > 23%

Finishes
Epoxy Colour

INNER
18mm thick inner felt. Made of PET with 60% recycled origin from plastic bottles. Tested under fire regulations with a high acoustic absorption index. NRC: 0.55, α = 0.40

UPHOLSTERY
Removable upholstery

ACCESORIES

MAGNET BOARD / SHELF / RACK / PLANTER*
Material
Steel sheet. Dimensions: 450mmx258mm (17.7”x10.2”) with 1mm (0.04”) thickness.
*Dimensions: 450mmx258x150mm

Finishes
Epoxy Colour

CASTORS
Nylon wheels with brake for 60kg (132.3lb).
Gray structure with dark gray tread.

METAL FINISHES

EPOXIS
Powder covering formulated with polyester resins, with good both mechanical and chemical properties, outdoor maximum resistance and noxious compound free.
Electrostatic application and oven curated at 200ºC (392ºF).

Technical Characteristics:

Thickness (ISO 2360): between 60 and 90 µm.
Adherence (ISO 2409): Grade: 0 (maximum adherence).

FABRIC REQUIREMENT

A1: 2550 cm

A2: 2550 cm

B1: 3350cm

B2: 3350 cm

ondarreta