TECHNICAL CHARACTERISTICS

PLAC

Lac - Lac R

Pedestals


A wide range of possibilities. Our pedestals, with an extensive variety of options available, different size and shapes -square or round - and an endless number of finishes.

DESIGNED BY ONDARRETA TEAM



ondarreta

Lac



DIMENSIONS

H36,5: 40 cm x 40 cm x 36,5 cm
(15.7” x 15.7” x 14.4”)
H72: 40 cm x 40 cm x 72 cm
(15.7” x 15.7” x 28.3”)
H86,5: 40 cm x 40 cm x 86,5 cm
(15.7” x 15.7” x 34.1”)
H107: 40 cm x 40 cm x 107 cm
(15.7” x 15.7” x 42.1”)
[width x depth x height]

WEIGHT

H36,5: 15,4 kg (34 lb.)
H72: 16,9 kg (37,3 lb.)
H86,5: 17,6 kg (38.8 lb.)
H107: 18,9 kg (41.67 lb.)

PACKAGING

Base 43 cm x 41 cm x 3 cm
(16.9” x 16.1” x 1.2”)
Column H36,5: 42 cm x 10 cm x 10,5 cm
(16.5” x 3.9” x 4.1”)
Column H72: 78 cm x 10 cm x 10,5 cm
(30.7” x 3.9” x 4.1”)
Columa H86,5: 92 cm x 10 cm x 10,5 cm
(36.2” x 3.9” x 4.1”)
Columa H107: 112 cm x 10 cm x 10,5 cm
(44.1” x 3.9” x 4.1”)

CERTIFICATION

Product tested under the European standard EN 161399:2013, category of general use L1.

ORIGIN


100% Made in Europe

DESIGN

Ondarreta Team

ondarreta

Lac R



DIMENSIONS

H36,5: 65 cm x 40 cm x 36,5 cm
(25.6” x 15.7” x 14.4”)
H72: 65 cm x 40 cm x 72 cm
(25.6” x 15.7” x 28.3”)
H86,5: 65 cm x 40 cm x 86,5 cm
(25.6” x 15.7” x 34.1”)
H107: 65 cm x 40 cm x 107 cm
(25.6” x 15.7” x 42.1”)
[width x depth x height]

WEIGHT

H36,5: 22,2 kg (48.9 lb.)
H72: 23,3 kg (51.4 lb.)
H86,5: 23,9 kg (52.7 lb.)
H107: 25,5 kg (56.2 lb.)

PACKAGING

Base 68 cm x 45 cm x 3 cm
(26.8” x 17.7” x 1.2”)
Column H36,5: 42 cm x 10 cm x 10,5 cm
(16.5” x 3.9” x 4.1”)
Column H72: 78 cm x 10 cm x 10,5 cm
(30.7” x 3.9” x 4.1”)
Column H86,5: 92 cm x 10 cm x 10,5 cm
(36.2” x 3.9” x 4.1”)
Column H107: 112 cm x 10 cm x 10,5 cm
(44.1” x 3.9” x 4.1”)

CERTIFICATION

Product tested under the European standard EN 161399:2013, category of general use L1.

ORIGIN


100% Made in Europe

DESIGN

Ondarreta Team

ondarreta







COMPONENTS

COLUMN

Material
Square of 70 mm (2.75”) and 2 mm (0.08”) thick cold laminated St-37 quality steel tube.
Tensile Strength: 340-470 N/mm2 (49,300-68,160 psi); Elastic Limit > 235 N/mm2 (32,080 psi); Elongation > 25%, Surface Hardness > 110 HB.

Finish

Epoxy Colour

BASE

Material
40 cm (15.7”) square and 8 mm (0.31”) thick for LAC and 40 x 65cm (15.75” x 25.6”) side and 8mm (0.31") thick for LAC R St-37 steel sheet.

Finish

Epoxy Colour

TABLETOP SUPPORT

Material
Ø120 mm (4.7”) and 16 mm (0.6”) thickness steel cylinder (for glass worktops) or a 295 mm (11.6”) side and 5 mm (0.2”) thick square steel sheet (for other worktops).

Finish
Chromed (in glass tabletops) or Epoxy Colour (other tabletops).

TABLETOP

Material
A variety of beechwood, laminate, glass, compact, indoor compact, porcelain and laminate + birch plywood surfaces.

Finish
As on sample card

Dimensions
Maximum tabletop LAC H72: 90 cm x 90 cm (35.4” x 35.4”)
Maximum tabletop LAC R H72: 120 cm x 80 cm (47.2” x 31.5”)

METAL FINISHES

EPOXYS

Powder covering formulated with polyester resins, with good both mechanical and chemical properties, outdoor maximum resistance and noxious compounds free. Electrostatic application and oven curated at 200ºC (392ºF).

Technical Characteristics:
Thickness (ISO 2360): between 60 and 90 µm.
Adherence (ISO 2409): Grade: 0 (maximum adherence)

ondarreta